



## 4mm white led

Normally for dip led dimension is 3mm 5mm 8mm and 10mm, we also have 4mm size. Round top, flat heat top and straw hat all is OK. Single color, dual color and tricolor full color.

Below is the dimension for 4mm round top led



### Package Dimensions:



1. All dimensions are in millimetres
2. An epoxy meniscus may extend about 1.5mm(0.059") down to the lead.
3. Tolerances unless Dimension  $\pm 0.25$ mm.

## 4mm dip led Features

Low power consumption.

Versatile mounting on P.C. board or panel.

Popular 4mm diameter.

Reliable and rugged.

RoHS compliant.

OEM / ODM

# HIGH QUALITY LED LIGHT

WE FOCUS ON THE BEST LED LIGHTS



More energy saving



High brightness



Durable



High-quality materials

## PRODUCT PRESENTATION

### Parameter of 4mm neutral white led

Parameter	Symbol	Test Condition	Min.	Typ.	Max.	Unit
Luminous Intensity	Iv	IF=20mA	1000 0	1500 0	—	mc d
Chromaticity Coordinates	X	IF=20mA	—	0.34	—	—
Chromaticity Coordinates	Y	IF=20mA	—	0.33	—	—
Correlated Color Temperature	CCT	IF=20mA	5000	—	7000	K
Forward Voltage	VF	IF=20mA	2.8	—	3.6	V
Viewing Angle	2θ1/2	IF=20mA	—	30	—	deg
Reverse Current	IR	V R=5V	—	—	10	uA

**\*We produce MODULE !**

**\*CUSTOM-MADE is OK!!**

**\*Our company produce your own board!!!**

We offer all kinds of Electronic modules, components, accessories.

Please send the inquiry list.

Our engineers will make solutions and design according to your requirements.

Please send us your requirements.

## RELATED PRODUCTS



AL-L031SRC-L1-M



AL-L032UBD-LP-M



AL-L051DRVGC-L0CR-M



AL-L051RGBC-LPAR-M



AL-L051SRC-L1-M



AL-L052SRD-LP-M



AL-L052TGD-L1-M



AL-L234SRC-LP-M



AL-L234SRD-LP-M

We can provide DHL, FedEx, UPS, TNT and other mainly Express service, after goods ship out, will provide tracking number to you.

## SHIPPING

- SHIPPING**
1. FedEx/DHL/UPS/TNT for samples, Door-to-Door
  2. By Air or by Sea for batch goods, for FCL; Airport/ Port receiving
  3. Customers specifying freight forwarders or negotiable shipping methods
  4. Delivery Time: 3-7 days for samples; 5-25 days for batch goods



## ABOUT US

Dongguan Zhiding Electronics Technology Co., LTD is a high-tech enterprise specialized in manufacturing, designing and selling high quality LED lighting and LEDrelated products. Zhaoqing Factory has more than 1000 employees, including more than 80 technicians focused on research and development.

We have advanced testing equipment, can be "normal temperature continuo us light life test", "high temperature and high humidity cycle test", "cold and hot shock cycle test" and "high and low temperature storage test", "high and low temperature continuous light test", "salt spray test" and reliability test, for all kinds of product reliability test of periodic on a regular basis, provides the high quality for our product quality assurance.



### COOPERATIVE CLIENT



## FAQ

Q1. What payment way do you accept?

A1. T/T, Paypal, Western Union and Visa Card are available.

Q2. It is OK to print my LOGO on the led product?

A2. Yes, please inform us formally before our production and confirm the design firstly based on our sample.

Q3. How long will it take for delivery?

A3. After we finish samples or goods, will take 3-7 days to arrive your city.

Q4. Do you have MOQ limit for the led?

A4. Yes, 4mm white led for trial order MOQ is 1000pcs.

Q5. Can we get support if we have our own market position?

A5. Please inform us your detailed mind on your market demand, we will discuss and propose helpful suggestion for you, to find the best solution for you.

Most of the regular items, we are stocked, so we have an advantage in the delivery period. In the absence of inventory, we will arrange production as soon as possible according to customer needs. Providing quality service to customers is the basic premise of our sales. Welcome to inquire about our products!

**WELCOME TO CONTACT US>>>>WWW.ZHIDINGLED.COM**



Oversea Sales Manager  
Elsa Xiao  
E-mail:sales@zhidingled.com  
Skype: elsa.xiao0418  
Mobile: 86-13412570091  
WhatsApp: 86-13412570091  
Tel: 86-769-22665151  
Fax:86-769-22665155